## SCHEDULE IX-A (As per MSR 2016)

\*Minimum Essential Requirements for Department of Drawyaguna

S. No.	Equipment and Instruments	Up to 60 intake capacity	61 to 100 intake	Available	Deficiency
Essential		capacity	capacity		
	Field magnifier	One	One	01	
	2. Compound microscope	One	One	01	
	3. Dissecting Microscope	One	One	01	
	4. Microscope	Fifteen	Twenty five	25	
	5. Electronic balance	One	Two	02	
Miscellaneou	ıs				
	<ol><li>Slides box with cover slips</li></ol>	s, Assorted	Assorted	Available	
	7. Blotting/filter papers	Assorted	Assorted	Available	
	8. Dissection Box	Assorted	Assorted	Available	
	D. Enamel Trays	Assorted	Assorted	Available	
10	). Reagents-			Available	
ι.	Chloroform	Assorted	Assorted	Available	
),	Alcohol.	Assorted	Assorted	Available	
	HCL	Assorted	Assorted	Available	
	Sulphuric acid	Assorted	Assorted	Available	
	Sodium, potassium hydroxide	Assorted	Assorted	Available	
	Benedict solution	Assorted	Assorted	Available	
ude van er gant er minder hat de gerijke geleg filmber slikt er hater hater hat	Sodium nitrate	Assorted	Assorted	Available	
	Potassium nitrate	Assorted	Assorted	Available	
	Citric acid	Assorted	Assorted	Available	
MANAGEMENT OF STREET	Iodine	Assorted	Assorted	Available	
	Ethyl Alcohol	Assorted	Assorted	Available	
	Potassium Iodide	Assorted	Assorted	Available	
	Xylol/pure xylene (slide preparation)	Assorted	Assorted	Available	



Principal
Matoshri Asarabai Darade
Ayurved College Babhulgaon
Tal.Yeola, Dist.Nashik